-)	

L Number	Hits		DB	Time stamp
-	11309	((709/201) or (709/203) or (709/217) or	USPAT;	2003/12/08 14:58
		(709/218) or (709/219) or (709/227) or	US-PGPUB;	
		(709/229) or (709/232) or (709/319)).CCLS.	EPO; JPO;	
			DERWENT;	
_	205	(((709/201) or (709/203) or (709/217) or	IBM_TDB USPAT;	2003/12/08 15:05
_	203	(709/218) or (709/219) or (709/227) or	US-PGPUB;	2003/12/06 15:05
		(709/229) or (709/232) or (709/319)).CCLS.)	EPO; JPO;	
		and (arra\$2 with (messag\$2 or resul\$2 or	DERWENT;	
		outcom\$2))	IBM TDB	}
-	123	((((709/201) or (709/203) or (709/217) or	USPAT;	2003/12/09 15:42
		(709/218) or (709/219) or (709/227) or	US-PGPUB;	
		(709/229) or (709/232) or (709/319)).CCLS.)	EPO; JPO;	
		and (arra\$2 with (messag\$2 or resul\$2 or	DERWENT;	
		outcom\$2))) and @ad<20001215	IBM_TDB	
-	120	(((((709/201) or (709/203) or (709/217) or	USPAT;	2003/12/08 15:08
		(709/218) or (709/219) or (709/227) or	US-PGPUB;	
		(709/229) or (709/232) or (709/319)).CCLS.)	EPO; JPO;	
		and (arra\$2 with (messag\$2 or resul\$2 or	DERWENT;	
		outcom\$2))) and @ad<20001215) and (remote	IBM_TDB	
_	120	near "4" (proces\$4 or execut\$3)) ((((((709/201) or (709/203) or (709/217) or	USPAT;	2003/12/09 10:29
	120	(709/218) or (709/219) or (709/227) or	US-PGPUB;	2003/12/09 10:29
		(709/229) or (709/232) or (709/319)).CCLS.)	EPO; JPO;	
		and (arra\$2 with (messag\$2 or resul\$2 or	DERWENT;	
		outcom\$2))) and @ad<20001215) and (remote	IBM TDB	
		near "4" (proces\$4 or execut\$3))) and	_	
		@ad<20001215		
-	52		USPAT;	2003/12/09 11:52
		(709/218) or (709/219) or (709/227) or	US-PGPUB;	
		(709/229) or (709/232) or (709/319)).CCLS.)	EPO; JPO;	
		and (arra\$2 with (messag\$2 or resul\$2 or	DERWENT;	
		outcom\$2))) and @ad<20001215) and (remote	IBM_TDB	•
		near "4" (proces\$4 or execut\$3))) and	*	
	705045	@ad<20001215 and (transla\$4)	TIODAM.	2002/12/00 11 55
-	785845	((remote near "2" (proces\$4 or execut\$3))	USPAT;	2003/12/09 11:55
		same (multiple or second)) and @ad<20001215	US-PGPUB; EPO; JPO;	
·			DERWENT;	
			IBM TDB	
_	853023	((remote near "2" (proces\$4 or execut\$3))	USPAT;	2003/12/11 08:06
		same (mult\$4 or second)) and @ad<20001215	US-PGPUB;	
	,		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1295	(((remote near "2" (proces\$4 or execut\$3))	USPAT;	2003/12/09 11:59
		same (mult\$4 or second)) and @ad<20001215)	US-PGPUB;	
		and (array with messag\$2)	EPO; JPO;	
			DERWENT;	
	104	///www.to.monw.WoW./www.accd	IBM_TDB	2002/12/12 12 1
-	184	(((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215)	USPAT;	2003/12/10 12:10
		and ((array with messag\$2) same (id or	US-PGPUB; EPO; JPO;	
		and ((array with messag\$2) same (id or identifie\$2))	DERWENT;	
		TUCHETTTEY2//	IBM TDB	
_	143	((((remote near "2" (proces\$4 or execut\$3))	USPAT;	2003/12/09 14:09
		same (mult\$4 or second)) and @ad<20001215)	US-PGPUB;	
		and ((array with messag\$2) same (id or	EPO; JPO;	
		identifie\$2))) and networ\$2	DERWENT;	
			IBM_TDB	
-	0	09085755.an.	USPAT;	2003/12/09 14:12
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	2	09085755.rlan.	USPAT;	2003/12/09 14:12
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT; IBM TDB	

	17	(/		
_	17	((remote near "2" (proces\$4 or execut\$3))	USPAT;	2003/12/09 14:53
		same (mult\$4 or second)) and @ad<20001215	US-PGPUB;	
		and metacomput\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1271	(709/201).CCLS.	USPAT;	2003/12/11 10:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1054	((709/201).CCLS.) and (distribu\$4 or (data	USPAT;	2003/12/10 12:09
		adj processing) with syste\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	201	(((709/201).CCLS.) and (distribu\$4 or (data	USPAT;	2003/12/09 15:42
·	*	adj processing) with syste\$2)) and (resul\$2	US-PGPUB;	
		with messag\$2)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	152	((((709/201).CCLS.) and (distribu\$4 or (data	USPAT;	2003/12/09 15:43
	•	adj processing) with syste\$2)) and (resul\$2	US-PGPUB;	
		with messag\$2)) and @ad<20001215	EPO; JPO;	
			DERWENT;	
			IBM TDB	

	194	("5347632" "6119079" "5594910"	USPAT; US-PGPUB;	2003/12/10 10:4
		"5758072"	EPO; JPO; DERWENT;	
		"6182123"	IBM_TDB	
		"6430275"	1511_155	
		"5937057"		
		"5802296"		
		"6421680"		
		"6272126"		
		"5630131" "5664206"		
		"5806071"	·	
		"5917484"		
		"6073090"		
		"6125446"		
		"6185729"		
		"6229533"	1	
		"6252589" "6353385"		
		"6469713"		
		"6476830"		
		"6111572"		
		"6141005"		
		"5450569"		
		"5829001"]	
		"5950211" "5999616"		
		"6243458"		
		"4574284"		
		"5758259"		
		"6628304"		
		"5377191"		
		"5572528"		
		"5682479"		
		"5706516" · · · · · · · · · · · · · · · · · · ·		
		"5867689"		
		"4430700"		
İ		"4604693"		
		"4630196"		· t
		"5191650"	İ	,
		"5323385"		
4		"5371852"		
		"5485608" "5524205"		
		"5590366"		
1		"5796955"		
	•	"5905904"		
		"6032258").pn.		
ļ		("6072942"		•
		"6092196" "6192130"		
		"6192130" "6330250"		
		"6343119"		
1		"6438707"		
		"6098078"		
-		"5845265"		
		"6266651"		
		"4805168"		
		"4905229" "5359320"		
		"5361063"		
		"5485147"		
		"5546540"		
		"6078930"		
		"4777595"		
1		"5276871"		
		"5734833"		
+		"5748617" "5838923"		
		"5995981"		
earch Uid:	cory 12	2/22/03/10:26:42 AM Page 3	1	
earch Hist		.пофеффорфун 8 - 03 . wap	1	i .

1.

-	7	((709/201).CCLS.) and (distribu\$4 or (data adj processing) with syste\$2) and (locale or locales)	USPAT; US-PGPUB; EPO; JPO;	2003/12/10 12:10
			DERWENT; IBM_TDB	
	1	(((709/201).CCLS.) and (distribu\$4 or (data adj processing) with syste\$2) and (locale or locales)) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 12:10
-	1564	((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 13:34
-	655	(((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 13:36
-	986	(((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 13:37
-	474	((((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)) and messag\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 14:09
-	205	(((((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)) and messag\$2) and array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 13:42
-	142	<pre>((((((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)) and messag\$2) and array) and networ\$3</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:43
-	73	(((((remote near "2" (proces\$4 or execut\$3)) same (mult\$4 or second)) and @ad<20001215 and (locale or locales)) and (distribu\$4 or (data adj processing) with syste\$2)) and messag\$2) and (slave or slaves)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:09
-	2300453		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 09:13
-	290	(((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215) and log and locale	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:00
-	134683	((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215) and log and locale) and message or messages	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 08:12
	203	((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215) and log and locale) and (message or messages)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:00
	380		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 09:16

-	263	((((remote near "2" (processing or	USPAT;	2003/12/11 09:16
	:	execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215)	US-PGPUB; EPO; JPO;	
		and log and (locale or locales)) and	DERWENT;	
		(message or messages)	IBM TDB	
-	204		USPAT;	2003/12/11 09:17
		execution)) or (distribution or (data adj	US-PGPUB;	, , , , , ,
		processing) with syste\$2)) and @ad<20001215)	EPO; JPO;	
	1	and log and (locale or locales)) and	DERWENT;	
	380	(message or messages)) and networ\$3	IBM_TDB	
_	380	(((remote near "2" (processing or execution)) or (distribution or (data adj	USPAT; US-PGPUB;	2003/12/11 09:16
		processing) with syste\$2) or (709/201).ccls)	EPO; JPO;	
		and @ad<20001215) and log and (locale or	DERWENT;	1
		locales)	IBM TDB	ľ
-	263		USPAT;	2003/12/11 09:17
	:	execution)) or (distribution or (data adj	US-PGPUB;	
		processing) with syste\$2) or (709/201).ccls)	EPO; JPO;	
		and @ad<20001215) and log and (locale or	DERWENT;	1
_	204	locales)) and (message or messages) (((((remote near "2" (processing or	IBM_TDB USPAT;	2003/12/11 10:20
	204	execution)) or (distribution or (data adj	US-PGPUB;	2003/12/11 10:20
		processing) with syste\$2) or (709/201).ccls)	EPO; JPO;	
		and @ad<20001215) and log and (locale or	DERWENT;	
		locales)) and (message or messages)) and	IBM_TDB	
		networ\$3		
_	6512	1	USPAT;	2003/12/11 10:20
		execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls)	US-PGPUB; EPO; JPO;	
,		and @ad<20001215) and log and (event or	DERWENT;	
		events)) and (message or messages)) and	IBM TDB	
		networ\$3	_	
-	1471	(((((remote near "2" (processing or	USPAT;	2003/12/11 13:04
		execution)) or (distribution or (data adj	US-PGPUB;	
	-	processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and (log with (event or	EPO; JPO;	1
		events))) and (message or messages)) and	DERWENT; IBM TDB	
		networ\$3	1511_155	
-	1274	(709/201).CCLS.	USPAT;	2003/12/11 10:23
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	917	((709/201).CCLS.) and @ad<20001215	IBM_TDB USPAT;	2003/12/11 10:23
	"	((,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	2003/12/11 10:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	34	(((709/201).CCLS.) and @ad<20001215) and	USPAT;	2003/12/11 12:41
		(log with (event or events))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	("6144797").PN.	USPAT;	2003/12/11 12:42
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
_	2	("6304967").PN.	IBM_TDB USPAT;	2003/12/11 12:43
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2003/12/11 12:43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("6388687").PN.	USPAT;	2003/12/11 12:53
			US-PGPUB;	
			EPO; JPO; DERWENT;	
		*	IBM TDB	
·	4	L	<u> </u>	ll

-	2	("6205482").PN.	USPAT; US-PGPUB; EPO; JPO;	2003/12/11 12:55
			DERWENT; IBM_TDB	
-	2	("6253369").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 12:55
-	0	<pre>((((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and (log with (event or events))) same (message or messages)) and networ\$3</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:05
-	489	<pre>(((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215) and (log with (event or events) same</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 13:07
-	53	<pre>(message or messages)))) and networ\$3 (((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2)) and @ad<20001215) and (log with (event or events) same (message or messages) same (id or identifier)))) and networ\$3</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:36
_	. 313	((message or messages) same (log or event or (event with log)) same (id or identifier) same (result or output)) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 13:40
-	13	((message or messages) same (log or event or (event with log)) same (id or identifier) same (result or output) same array) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 13:51
_	71	(((message or messages) same (log or event or (event with log)) same (id or identifier) same (result or output)) and @ad<20001215) and (data adj processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 13:53
-	2300596	((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 09:22
-	1506	(((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and (log with management)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 09:48
-	25	<pre>((((remote near "2" (processing or execution)) or (distribution or (data adj processing) with syste\$2) or (709/201).ccls) and @ad<20001215) and (log with management)) and (log near4 distributed)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 09:49
-	19886817	(log with management) @ad<20001215	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 09:48
	_ 243	((log with management) @ad<20001215) and (log near3 distributed)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/12 10:34
-	2	(((log with management) @ad<20001215) and (log near3 distributed)) and (locale or locales)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 11:05

	,			
-	64	(((log with management) @ad<20001215) and (log near3 distributed)) and (message or	USPAT; US-PGPUB;	2003/12/12 10:35
		messages)	EPO; JPO;	
			DERWENT; IBM TDB	
-	4628	((log with management) @ad<20001215) and	USPAT;	2003/12/12 10:59
	- 1	(locale or locales)	US-PGPUB; EPO; JPO;	
			DERWENT;	
	1401	///3	IBM_TDB	
-	1421	(((log with management) @ad<20001215) and (locale or locales)) and distribution	USPAT; US-PGPUB;	2003/12/12 10:59
			EPO; JPO;	
			DERWENT; IBM TDB	
-	492	((((log with management) @ad<20001215) and	USPĀT;	2003/12/12 11:00
		(locale or locales)) and distribution) and (message or messages)	US-PGPUB; EPO; JPO;	
		(message of messages)	DERWENT;	
	0	////log with management) @ad.20001215) and	IBM_TDB USPAT:	2002/12/12 11:00
		(((((log with management) @ad<20001215) and (locale or locales)) and distribution) and	US-PGPUB;	2003/12/12 11:00
		(message or messages)) and log.ti.	EPO; JPO;	
			DERWENT; IBM TDB	
_	2		USPAT;	2003/12/12 11:01
		(locale or locales)) and distribution) and (message or messages)) and log.ab.	US-PGPUB; EPO; JPO;	
		, tallings to mesong the property of the prope	DERWENT;	
_	10	(((((log with management) @ad<20001215) and	IBM_TDB USPAT;	2003/12/12 11:01
		(locale or locales)) and distribution) and	US-PGPUB;	2003/12/12 11:01
		(message or messages)) and log.clm.	EPO; JPO; DERWENT;	
			IBM_TDB	
-	6	(((log with management) @ad<20001215) and (log near3 distributed)) and (locale or	USPAT; US-PGPUB;	2003/12/12 11:27
		locales or demographic or demographics or	EPO; JPO;	
		"native language" or "native languages")	DERWENT;	
	142	((result or results or output or outputs)	IBM_TDB USPAT;	2003/12/12 11:31
		near2 (message or messages)) same (message	US-PGPUB;	
		adj (id or identifier))	EPO; JPO; DERWENT;	
		1///	IBM_TDB	2002/12/12 11 21
-	15	((((result or results or output or outputs) near2 (message or messages)) same (message	USPAT; US-PGPUB;	2003/12/12 11:31
		adj (id or identifier))) and @ad<20001215)	EPO; JPO;	
		and log	DERWENT; IBM TDB	
-	95	(((result or results or output or outputs)	USPAT;	2003/12/12 13:07
		near2 (message or messages)) same (message adj (id or identifier))) and @ad<20001215	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	2030	(result or results) near2 log	IBM_TDB USPAT;	2003/12/12 16:07
		(US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	546	((result or results) near2 log) and (message or messages)	USPAT; US-PGPUB;	2003/12/12 16:08
		OI MESSAGES/	EPO; JPO;	
			DERWENT;	
_	413	(((result or results) near2 log) and	IBM_TDB USPAT;	2003/12/12 16:08
		(message or messages)) and (network or	US-PGPUB;	
		networks)	EPO; JPO; DERWENT;	
	<u></u>		IBM_TDB	

-	
•	

-	219	(((result or results) near2 log) and	USPAT;	2003/12/12 16:09
		(message or messages)) and (network or	US-PGPUB;	
		networks) and @ad<20001215	EPO; JPO;	
			DERWENT; IBM TDB	
	11	((((result or results) near2 log) and	USPAT:	2003/12/12 16:09
-	1	(message or messages)) and (network or	US-PGPUB;	2003/12/12 16:09
		networks) and @ad<20001215) and log.ti.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	